

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	43608	( ( performance\$3 or utilizat\$3 ) same ( if or when or during or condition\$3 ) & rule\$3 & ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 10:38
L4	3911	( ( performance\$3 or utilizat\$3 ) same ( if or when or during or condition\$3 ) SAME rule\$3 & ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 10:38
L5	753	( ( performance\$3 or utilizat\$3 ) same ( if or when or during or condition\$3 ) SAME rule\$3 same ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 10:38
L6	192	( ( performance\$3 or utilizat\$3 ) with ( if or when or during or condition\$3 ) SAME rule\$3 same ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 10:38
L7	57	( ( performance\$3 or utilizat\$3 ) with ( if or when or during or condition\$3 ) with rule\$3 same ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 10:38
L8	32	( ( performance\$3 or utilizat\$3 ) with ( if or when or during or condition\$3 ) near6 rule\$3 same ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:19
L9	260	( ( performance\$3 or utilizat\$3 ) with ( if or when or during or condition\$3 ) near6 rule\$3 & ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:20

L10	182	(( performance\$3 or utilizat\$3 ) near6 ( if or when or during or condition\$3) near6 rule \$3 & (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:20
L11	14	(( performance\$3 or utilizat\$3 ) near6 ( if or when or during or condition\$3) near6 rule \$3 same (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:21
L12	32	(( performance\$3 or utilizat\$3 ) with ( if or when or during or condition\$3) near6 rule \$3 same (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:22
L13	32	(( performance\$3 or utilizat\$3 ) with ( if or when or during or condition\$3) near6 rule \$3 same (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:22
L14	26	( monitor\$3 & (enhanc \$3 or optimiz\$3 ) same (if or when or condition\$3) ) & peformance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:23
L15	12715	( monitor\$3 same ( peformance\$3 or enhanc\$3 or optimiz \$3 ) same (if or when or condition\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:24
L16	12	( monitor\$3 & (enhanc \$3 or optimiz\$3 ) with (if or when or condition \$3) ) & peformance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:24
L17	43608	(( performance\$3 or utilizat\$3 ) same ( if or when or during or condition\$3) & rule\$3 & (enhanc\$3 or optimiz \$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:24

L18	3911	( ( performance\$3 or utilizat\$3 ) same ( if or when or during or condition\$3) same rule \$3 & (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:24
L19	753	( ( performance\$3 or utilizat\$3 ) same ( if or when or during or condition\$3) same rule \$3 same (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:24
L20	57	( ( performance\$3 or utilizat\$3 ) with ( if or when or during or condition\$3) with rule \$3 same (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:24
L21	31	( ( performance\$3 or utilizat\$3 ) with ( if or when or during or condition\$3) with rule \$3 with (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:25
L22	400	( monitor\$3 same performance\$3 same ( relat\$3 or relationsh \$3 or correlat\$3) same rule\$3 & (enhanc\$3 or optimiz\$3 ) & ( log\$3 or stor\$3 or sav\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:25
L23	181	( monitor\$3 same performance\$3 same ( relat\$3 or relationsh \$3 or correlat\$3) same rule\$3 & (enhanc\$3 or optimiz\$3 ) same ( log \$3 or stor\$3 or sav \$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:25
L24	30	( monitor\$3 same performance\$3 same ( relat\$3 or relationsh \$3 or correlat\$3) same rule\$3 same (enhanc \$3 or optimiz\$3 ) same ( log\$3 or stor\$3 or sav\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:25

L25	8903	( monitor\$3 same performance\$3 same (enhanc\$3 or optimiz\$3 ) & ( log\$3 or stor\$3 or sav\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:26
L26	5765	( monitor\$3 with performance\$3 same (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:27
L27	3386	( monitor\$3 with performance\$3 with (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:30
L28	36213	( ( performance\$3 or utilizat\$3 ) same ( relat\$3 or relationsh\$3 or correlat\$3 ) & rule\$3 & (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:30
L29	1241	( ( performance\$3 or utilizat\$3 ) same ( relat\$3 or relationsh\$3 or correlat\$3 ) with rule\$3 & (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:30
L30	226	( ( performance\$3 or utilizat\$3 ) same ( relat\$3 or relationsh\$3 or correlat\$3 ) with rule\$3 same (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:30
L31	97	( ( performance\$3 or utilizat\$3 ) with ( relat\$3 or relationsh\$3 or correlat\$3 ) with rule\$3 same (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 11:31
S66	1121	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:30

S67	1632	(717/151,127).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:31
S68	1076	(700/108).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:31
S69	2	S66 & ( monitor\$3 same rule\$3 same ( peformance\$3 or enhanc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:32
S70	3	S67 & ( monitor\$3 same rule\$3 same ( peformance\$3 or enhanc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:32
S71	2	S68 & ( monitor\$3 same rule\$3 same ( peformance\$3 or enhanc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:37
S72	2	S66 & ( monitor\$3 same rule\$3 same ( peformance\$3 or enhanc\$3 or optimiz \$3 ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:43
S73	10	S67 & ( monitor\$3 same rule\$3 same ( peformance\$3 or enhanc\$3 or optimiz \$3 ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:43
S74	5	S68 & ( monitor\$3 same rule\$3 same ( peformance\$3 or enhanc\$3 or optimiz \$3 ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:45

S75	28	S68 & ( monitor\$3 same ( peformance\$3 or enhanc\$3 or optimiz \$3 ) same (if or when or condition\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:51
S76	28	S68 & ( monitor\$3 same ( peformance\$3 or enhanc\$3 or optimiz \$3 ) same (if or when or condition\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:52
S77	13	S67 & ( monitor\$3 same ( peformance\$3 or enhanc\$3 or optimiz \$3 ) same (if or when or condition\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 16:54
S78	1	("7093004").PN.	USPAT; USOCR	OR	OFF	2009/04/28 17:16
S79	2	S66 & ( monitor\$3 same ( peformance\$3 or enhanc\$3 or optimiz \$3 ) same (if or when or condition\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:30
S80	0	S66 & ( monitor\$3 same (enhanc\$3 or optimiz\$3 ) same (if or when or condition\$3) ) & peformance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:32
S81	0	S66 & ( monitor\$3 & (enhanc\$3 or optimiz \$3 ) same (if or when or condition\$3) ) & peformance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:32
S82	0	S67 & ( monitor\$3 & (enhanc\$3 or optimiz \$3 ) same (if or when or condition\$3) ) & peformance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:32
S83	0	S67 & ( monitor\$3 same peformance\$3 & (enhanc\$3 or optimiz \$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:32

S84	197	S67 & ( monitor\$3 same performance\$3 & ( enhanc\$3 or optimiz \$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:34
S85	194	S67 & ( monitor\$3 same performance\$3 & ( enhanc\$3 or optimiz \$3 ) & ( log\$3 or stor \$3 or sav\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:35
S86	130	S68 & ( monitor\$3 same performance\$3 & ( enhanc\$3 or optimiz \$3 ) & ( log\$3 or stor \$3 or sav\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:35
S87	32	S66 & ( monitor\$3 same performance\$3 & ( enhanc\$3 or optimiz \$3 ) & ( log\$3 or stor \$3 or sav\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:35
S88	9	S66 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3 ) & ( enhanc\$3 or optimiz\$3 ) & ( log\$3 or stor\$3 or sav\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:52
S89	87	S67 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3 ) & ( enhanc\$3 or optimiz\$3 ) & ( log\$3 or stor\$3 or sav\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:52
S90	51	S68 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3 ) & ( enhanc\$3 or optimiz\$3 ) & ( log\$3 or stor\$3 or sav\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 17:52
S91	87	S67 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3 ) & ( enhanc\$3 or optimiz\$3 ) & ( log\$3 or stor\$3 or sav\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:00

S92	3	S67 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3) same rule\$3 & (enhanc\$3 or optimiz \$3 ) & ( log\$3 or stor \$3 or sav\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:21
S93	0	S68 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3) same rule\$3 & (enhanc\$3 or optimiz \$3 ) & ( log\$3 or stor \$3 or sav\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:22
S94	0	S66 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3) same rule\$3 & (enhanc\$3 or optimiz \$3 ) & ( log\$3 or stor \$3 or sav\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:22
S95	0	S66 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3) same rule\$3 & (enhanc\$3 or optimiz \$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:22
S96	3	S67 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3) same rule\$3 & (enhanc\$3 or optimiz \$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:23
S97	0	S68 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3) same rule\$3 & (enhanc\$3 or optimiz \$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:23
S98	19	S67 & ( monitor\$3 same performance\$3 same ( relat\$3 or relationsh\$3 or correlat \$3) & rule\$3 & (enhanc \$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:23



S99	19	S67 & ( monitor\$3 same ( performance\$3 or utilizat\$3 ) same ( relat\$3 or relationsh \$3 or correlat\$3 ) & rule \$3 & ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:26
S100	20	S68 & ( monitor\$3 same ( performance\$3 or utilizat\$3 ) same ( relat\$3 or relationsh \$3 or correlat\$3 ) & rule \$3 & ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:27
S101	5	S66 & ( monitor\$3 same ( performance\$3 or utilizat\$3 ) same ( relat\$3 or relationsh \$3 or correlat\$3 ) & rule \$3 & ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:27
S102	11	S67 & ( monitor\$3 same ( performance\$3 or utilizat\$3 ) same ( rule\$3 & ( enhanc\$3 or optimiz\$3 ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:32
S103	5	S66 & ( monitor\$3 same ( performance\$3 or utilizat\$3 ) same ( rule\$3 & ( enhanc\$3 or optimiz\$3 ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:32
S104	1	S68 & ( monitor\$3 same ( performance\$3 or utilizat\$3 ) same ( rule\$3 & ( enhanc\$3 or optimiz\$3 ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:32
S105	59	S68 & ( ( performance \$3 or utilizat\$3 ) same ( relat\$3 or relationsh \$3 or correlat\$3 ) & rule \$3 & ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:32
S106	66	S67 & ( ( performance \$3 or utilizat\$3 ) same ( relat\$3 or relationsh \$3 or correlat\$3 ) & rule \$3 & ( enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:32

S107	43	S66 & ( ( performance \$3 or utilizat\$3 ) same ( if or when or during or condition\$3 ) & rule \$3 & (enhanc\$3 or optimiz\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 18:42
------	----	---	---	----	-----	---------------------

**4/ 29/ 2009 11:33:58 AM**

**C:\ Program Files\ USPTO\ EAST\ Bin\ VI RTAUL.wsp**